

**HTS**

**SERIE 63**

DIS. COD. 63.9519.00

\* Fissare con Loctite 542 col. ROSSO

\* Affix with Loctite 542 col. RED

\* Fixer avec de la Loctite 542 couleur ROUGE

\* Mit Loctite 542 ROT befestigen

\* Fijar con Loctite 542 col. ROJO

\* Fixar com Loctite 542 cor. VERMELHA

\*\* Lubrificare con grasso al silicone OCILIS 250


\*\* To lubricate with silicon grease OCILIS 250

\*\* Lubrifier avec gras à la silicone OCILIS 250

\*\* Sich mit fett zum Silikon OCILIS 250 schmieren

\*\* Para lubricar con la grasa al silicón OCILIS 250

\*\* Para lubrificar com a graxa ao silicone OCILIS 250



# HTS6311 – HTS6313 HTS6315

## KIT RICAMBI – SPARE KITS

KIT Nr.	KIT 123	KIT 158	KIT 159	KIT 204	KIT205
Posizioni include Positions included	4 – 5 6 – 7 8 (11)	9 - 10	17	40 - 42	38 – 39 40 – 41 42
Nr. Pcs.	6	6	3	3	1

POS	COD.	DESCRIZIONE – DESCRIPTION - KIT	NR
1	63.1213.41	Testata Ø 18 – NICKEL	1
2	99.3192.00	Vite M8x65 UNI 5931	8
3	98.2042.00	Tappo G 1/4"x9 – NICKEL	1
4	90.3841.00	OR Ø 17.13x5.62	123 6
5	36.2003.66	Sede valvola	123 6
6	36.2001.76	Valvola	123 6
7	94.7376.00	Molla Ø 9.4x14.8 - INOX	123 6
8	36.2025.51	Guida valvola	123 6
9	90.3847.00	OR Ø 20.24x2.62 (3081) – 90 Sh.	158 6
10	98.2225.00	Tappo M24x1.5 - NICKEL	158 6
11	36.7115.01	Gruppo valvola aspiraz./mand.	123 6
12	99.1807.00	Vite M8x10 UNI 5739 – Zinc.	8
13	50.1500.74	Coperchio laterale	2
14	44.2118.01	Distanziale con indicatore	1
15	90.4097.00	OR Ø 55.56x3.53 (159)	1
16	91.8331.00	Cuscinetto a sfere 6305	2
17	90.1595.00	Anello rad. Ø 18x26x6	159 3
18	63.0100.22	Carter pompa	1
19	98.2103.00	Tappo carico olio G 3/8"	1
20	63.0212.35 63.0218.35 63.0216.35	Albero C.10 – HTS6311 Albero C.13 – HTS6313 Albero C.12 – HTS6315	1
21	91.4892.00	Linguetta	1

POS	COD.	DESCRIZIONE – DESCRIPTION – KIT	NR
22	63.0505.66	Guida pistone	3
23	63.0300.22	Biella	3
24	90.3920.00	OR Ø 101.27x2.62 (3400)	1
25	63.1600.22 63.1601.22	Coperchio posteriore - OPTIONAL Coperchio posteriore	1
26	99.1837.00	Vite M6x14 UNI 5931 – Zimc	4
27	90.3585.00	OR Ø 10.82x1.78 (2043)	1
28	98.2042.50	Tappo G 1/4"x9 TE17 – Zinc.	1
29	97.7335.00	Spinotto Ø 9x27.5	3
30	96.6990.00	Rosetta Ø 7.5x23x0.5	3
31	63.0405.09	Pistone Ø 18x38.5	3
32	96.6905.00	Rosetta Ø 5x9x0.5 – INOX+PTFE	3
33	99.1690.00	Vite M5x55 UNI5737	3
34	90.1641.00	Anello rad. Ø 25x62x10	1
35	50.2000.74	Piedino	2
36	96.7016.00	Rosetta Ø 8.4 UNI 1751 – Zinc.	4
37	99.3037.00	Vite M8x16 UNI 5739 – Zinc.	4
38	63.0803.70	Anello di fondo Ø 18	205 3
39	90.3608.00	OR Ø 28.3x1.78 (2112)	205 3
40	90.2200.00	Anello ten. alt. Ø 18x22.5 LP	204-205 3
41	63.2161.70	Anello intermedio Ø 18	205 3
42	90.2210.00	Anello ten. alt. Ø 18x28x10 HP	204-205 3
43	98.2099.00	Tappo G 3/8"x13 – NICKEL	1

POS	COD.	DESCRIZIONE – DESCRIPTION - KIT	NR
44	98.2179.00	Tappo G 1/2"x10 – NICKEL	1
45	96.7380.00	Rosetta Ø 17.5x23x1.5	1
46	96.7514.00	Rosetta Ø 21.5x27x1.5	1
47	63.2100.51	Spia livello olio – OPTIONAL	1
48	90.4051.00	OR Ø 26.58x3.53 (4106) – OPTIONAL	1